

盐酸二氢埃托啡成瘾14例

张晓岫* 董行芳 王飞飞 李 兵 (中国人民解放军202医院, 沈阳 110003)

盐酸二氢埃托啡(DHE)是一种新型镇痛药, 作用迅速, 副作用小, 适用于各类剧痛止痛, 至今未见成瘾的临床报道。笔者发现14例 DHE 成瘾患者, 报道如下:

14例 DHE 成瘾患者, 4 例为住院患者, 10例为门诊病人。全部病例均因疼痛服用 DHE 止痛。通常用量为每次舌下含服 40 μg , 6 h 一次。1 wk 后, 常规用量已无止痛作用, 须增加每次用药量和给药次数。具体用量因疼痛程度不同及个体差异有所不同。停药即出现戒断症状, 头晕、心慌、怕光、畏声、烦躁不安、哭闹、抽搐, 有强烈用药欲望。每当恢复给药, 上述症状均于 10 min 内缓解消失, 并有难以形容的欣快感。

讨论 综上14例住院及门诊病人服用 DHE 后临床

症状显示, 此药有成瘾性, 具有吗啡样身体依赖性。

DHE 自80年代中期逐步大量应用于临床, 代替吗啡、哌替啶的止痛作用以来, 属二类精神药品管理^[1]。虽然毒性的安全系数大, 呼吸抑制和其它中枢抑制作用小^[2], 但维持时间短, 需连续多次给药, 从而增加了该药依赖性滥用的可能。该药应按麻醉药品管理, 严加控制。

致谢 向上海铁道医学院余伟均教授致谢。

参 考 文 献

- 1 卫生部颁发精神药品管理范围1991年5月
- 2 董矛, 秦伯益. 双氢埃托啡的镇痛和其它中枢抑制作用. 中国药理学报, 1982, 3:9

收稿日期, 1993—04—28

* 张晓岫, 40岁。1989年毕业于第二军医大学药学院, 主管药师。

14 Cases of Dihydroetorphine Hydrochloride Addiction

Zhang Xiaoyou, Dong Xingfang, Wang Feifei, Li Bing

(Shenyang 202 Hospital, Shenyang 110003)

Abstract This is a report of 14 cases of addiction after taking dihydroetorphine hydrochloride. Withdrawal symptoms will appear if the drug is stopped, but will disappear within 10 minutes after retaking it. So obviously this drug is addictive.

Key words Dihydroetorphine hydrochloride Analgesia Withdrawal symptom